

JACK

China No.1

Shanghai stock

listed



Jack Wechat



Jack Sewing Machine Co.,LTD.

JACK SEWING MACHINE CO.,LTD.

No. 15 South Airport Road, Jiaojiang District, Taizhou, Zhejiang, PRC
TEL: 0086-576-88177782 88177767
FAX: 0086-576-88177787

E-mail: sales@chinajack.com
www.chinajack.com



Electronic Bartacking Machine



JK-T1900G/1903G

JK-T1900G/1903G

Item: Electronic Bartacking Machine
Characteristics: Multifunctional, High Efficiency, Cost Saving



1 One Machine With Mult-functions, Wide Range Of Application

JK-T1900G/1903G: bartacking and button holing, easy shift. High efficiency, cost saving.
JK-T1906GP: for elastic belt, easily change with JK-T1906GS, sewing range: 60*50mm.
JK-T1906GS: suitable for bartacking and decorative seam, such as: non-woven bags, shopping bag, velcro, shoes, luggage ect.




2 Suitable For Heavy Duty

Easy to sew bartacking of luggage and fishing nets etc.



4 Easy To Learn And Use

Touchable panel is sensitive, which shows the functions of reset and machine-transfer.



3 High Efficiency


The max. speed reaches 3200 rpm, high efficiency.




5 Automatic Button Feeding, High Efficiency (JK-T1903GR)

Equipped with automatic button feeding device, the efficiency can be increased by 1.8 times compared with manual method.

Some patterns of bartacking machine



Some patterns of button holing machine



Specification

Model	Application	Needle	Stitch No.	Thread No.	X Direction Sewing Range (mm)	Y Direction Sewing Range (mm)	Presser Foot Lifting Height (mm)	Max. Speed (s.p.m)	Volume (mm)	Weight (kg)
JK-T1900GS	Light/Medium Material	DP×5 16#	1	2	40	30	13	3200	805×405×520	55/61
JK-T1900GH	Heavy Duty	DP×17 19#	1	2	40	30	13	3200	805×405×520	55/61
JK-T1900GM	Knitting Material	DP×5 11#	1	2	40	30	13	3200	805×405×520	55/61
JK-T1900GX	Pattern Sewing	DP×5 16#	1	2	40	30	13	2700	805×405×520	55/61
JK-T1900GY	Cap Hole	DP×5 16#	1	2	40	30	13	2700	805×405×520	55/61
JK-T1900GN	Fishing Nets	DP×17 19#	1	2	40	30	13	2700	805×405×520	55/61
JK-T1900GL	Bartacking For Socks	DP×17 14#	1	2	40	35	13	2700	805×405×520	55/61
JK-T1906GS	Pattern Sewing	DP×17 14#	1	2	60	50	10	2700	805×405×520	55/61
JK-T1906GP	Elastic Joint	DP×17 14#	1	2	60	50	10	2700	805×405×520	55/61

Note: auto presser foot lifter, auto thread trimming, auto thread wiping are equipped as standard.

Specification

Model	Application	Needle	Stitch	Thread	Button Diameter (mm)	Button Size (mm)	Presser Foot Height (mm)	Max. Speed (s.p.m)	Volume (mm)	Weight (kg)
JK-T1903G	Basic	DP×17 14#	1	2	Φ 8- Φ 30	X:2.4-6.8 Y:2.4-6.8	10	2700	805×405×520	55/61
JK-T1903GR	Automatic Button Sending	DP×17 14#	1	2	Φ 9- Φ 22	X:2.4-6.8 Y:2.4-6.8	13	2700	1070×870×1390	135/160

Note: auto presser foot lifter, auto thread trimming, auto thread wiping are equipped as standard.

Jack JK-T1900G and JK-T1903G


Computerised bartack and button sewing machines

Catalogue (PDF)

Catalogue et fiche technique (PDF)

الكتالوج والمواصفات الفنية (PDF)

Models in this catalogue	Product page
JK-T1903G	alborj.com/products/jack-jk-t1903
JK-T1900G	alborj.com/products/jack-jk-t1900



Page 1, the first page of the maker's catalogue, reproduced unchanged.

In this catalogue

- 1 Front and back cover: the JK-T1900G/1903G electronic bartacking machine
- 2 Features, bartack and button patterns, and specifications