

Jack M9

360° rotating head template sewing machine

Catalogue (PDF)

Catalogue et fiche technique (PDF)

The maker's catalogue follows on pages 2 and 3.

Al Borj Machinery supplies, installs and services this machine from Sharjah, UAE, and Accra, Ghana.

Product page

alborj.com/products/jack-m9



In this catalogue

- | | |
|---|--|
| 2 | Front page: the M9 anti-thread breakage template machine |
| 3 | The thread control system, features and specifications |
| 4 | AED price, delivery and installation: our offices in Sharjah and Accra |

Page 2, the first page of the maker's catalogue, reproduced unchanged.

JACK

M9 ANTI-THREAD BREAKAGE TEMPLATE MACHINE

threading once a day only



Spirit spider

Equipped with spirit spider
thread control system





JACK WECHAT



Equipped with spirit spider thread control system

the thread break is reduced by **80%**, the sewing speed is increased by **20%**
the efficiency is increased by **17%**, Increased production by **38 pcs** per day



THREAD CHANNELS TECHNOLOGY

Nano materials coated thread passing parts, reduce friction by **70%**, abrasion resistance increased by **170** times

30 million needles real machine test, historical sales data of **50,000** units, optimal thread channels design



SECOND SYNCHRONIZATION ALGORITHM

Algorithm supports **208** alignment calculations per stitch, the machine head adopts the lightweight design of aviation aluminum, the synchronisation accuracy is increased by **20%**, Apply self-concentric frame, to make the torsion deviation being less than **0.04 mm**

Specification

Model	Purpose	Needle	Needle No.	Thread No.	Sewing area (mm)	Middle Presser Foot Walking Distance (mm)	Needle gauge (mm)	Max. speed (R.p.m)	volume (mm)	Weight (kg)
M9-SS-F13-X	Quilting and pattern sewing	Dp×5 DP×17	1	2	1400×950	15	0.05-20	3600	2200×1220×1650	700/784
M9-SS-F11BF13-X	Quilting and pattern sewing	Dp×5 DP×17	1	2	1400×950	15	0.05-20	3600	2200×1220×1650	762/846

Note: Optional: F11B: Laser cutting device (120w), F16: Pointing Device, F17: Laser Purifying device.

Standard: Standard with dry head, eliminate oil leakage; high-precision double screw, feeding without lint leakage; safety distance 8.5cm, template material saving 2cm.

Ask for the AED price, delivery and installation

Send us the model and your country. Our team replies on WhatsApp or by email, and installs and services this machine from Sharjah and Accra.

WhatsApp

+971 6 533 3413

Email

info@alborj.com

Sharjah, UAE

Head office and showroom

Showroom #4, Al Borj Showrooms, Industrial Area 4,
P.O. Box 28551, Sharjah

+971 6 533 3413

info@alborj.com

Accra, Ghana

West Africa office

1 Kpentenplebi Link, Dzorwulu, Accra

+233 591 896 086

ghana@alborj.com

Product page

alborj.com/products/jack-m9

More catalogues

alborj.com/pages/catalogues